


**ROOF FRAMING NOTES:**

- 1.) RIGID STEEL FRAMING DESIGN BY OTHERS.
- 2.) FOR GENERAL NOTES REFER TO SHEET 54.0.
- 3.) T.O.S. EL. --- DENOTES TOP ELEVATION OF STEEL FROM FINISH FLOOR TYPICAL UNO.
- 4.) ROOF DECK USE:  
 1 1/2" x 22 GA. 'B' DECK GALVANIZED  
 4 - 1/2" 10 PUDDLE WELDS PER SHEET, EACH SUPPORT.  
 1/2" PUDDLE WELD @ 12" O.C. EACH PARALLEL SUPPORT.  
 SIDELAP TOP BEAM WELD (T&W) @ 12" O.C.

**ROOF FRAMING PLAN**

SCALE: 1/8" = 1'-0" (11x17)  
 SCALE: 1/8" = 1'-0" (22x34)



*[Signature]*

NO.	DATE	ISSUES/REVISIONS
0	06-07-2019	ISSUED FOR PERMIT
1	06-07-2019	REVISED PER CITY COMMENTS
2	06-26-2019	REVISED PER CLIENT COMMENTS

**BEC ENGINEERS AND CONSULTANTS, LLC**  
 BEC ENGINEERS AND CONSULTANTS, LLC  
 3200 W. BEACON HILL BLVD., SUITE 100  
 FORT WORTH, TEXAS 76104  
 PH: 832.240.3771 | FAX: 832.240.2724  
 T&PE REGIS. #. F-186990

**NEWQUEST PROPERTIES**  
**JOSEPH M. FOSTER & ASSOCIATES**  
**THE SHOPS AT SEDONA LAKES**  
**MANVEL, TEXAS**

REF #: 19-1467-0001

DRN:	YAN	CHK:	K.B.	DES:	K.B.
------	-----	------	------	------	------

**ROOF FRAMING PLAN**

SHEET NO. **S3.0**

THIS DRAWING IS THE PROPERTY OF BEC ENGINEERS AND CONSULTANTS, LLC. REG # F-186990 AND MAY NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION. ANY UNAUTHORIZED ALTERATION WILL VOID ANY AND ALL RESPONSIBILITY BY BEC, ITS EMPLOYEES AND REPRESENTATIVES.