


- ROOF FRAMING NOTES:**
- 1) RIGID STEEL FRAMING DESIGN BY OTHERS.
 - 2) FOR GENERAL NOTES REFER TO SHEET 040.
 - 3) T.O.S. EL. --- DENOTES TOP ELEVATION OF STEEL FROM FINISH FLOOR TYPICAL UNO.
 - 4) ROOF DECK USE:
 1 1/2" x 22 GA. 15' DECK GALVANIZED
 4 - 1/2" Puddle Welds PER SHEET, EACH SUPPORT.
 1/2" PUDDLE WELD @ 12" O.C. EACH PARALLEL SUPPORT.
 SIDE LAP TOP SEAM WELD (TSW) @ 12" O.C.

ROOF FRAMING PLAN
 SCALE: 1/8" = 1'-0" (1/4")
 SCALE: 1/8" = 1'-0" (22x34)



NO.	DATE	ISSUES/REVISIONS
0	06-07-2019	ISSUED FOR PERMIT
1	06-07-2019	REVISED PER CITY COMMENTS

BEC ENGINEERS AND CONSULTANTS, LLC
 BEC ENGINEERS AND CONSULTANTS, LLC
 3200 N. 83RD AVE. SUITE 110
 MANVEL, TEXAS 77042
 PH: 832-240-9771 FAX: 832-240-2724
 TEXAS REGIS. #: F-18690

NEWQUEST PROPERTIES
JOSEPH M.FOSTER & ASSOCIATES
THE SHOPS AT SEDONA LAKES
MANVEL, TEXAS

REF#:	19-1467-0001
DRN:	YAN
CHK:	K.B.
DES:	K.B.
ROOF FRAMING PLAN	
SHEET NO.	S3.0

THIS DRAWING IS THE PROPERTY OF BEC ENGINEERS AND CONSULTANTS, LLC. REG. # F-18690 AND MAY NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION. ANY UNAUTHORIZED ALTERATION WILL VOID ANY AND ALL RESPONSIBILITY BY BEC, ITS EMPLOYEES AND REPRESENTATIVES.